#### Exhibit "D"

# Hanover Town Center Mixed Use PUD Revised Written Description January 30, 2017

# I. SUMMARY DESCRIPTION OF THE PROPERTY

**A.** RE #: 167728-0110 and 167727-0525 (portion)

**B.** Current Land Use Designation: CGC – Urban Area

C. Current Zoning District: PUD (Ord. 2012-15-E)

**D.** Proposed Zoning District: PUD

# II. SUMMARY AND PURPOSE OF THE PUD/COMPREHENSIVE PLAN CONSISTENCY

The Arthur Chester Skinner, Jr., Trust, et al. (the "Applicant") propose to rezone approximately 45.2 acres of property from Planned Unit Development ("PUD") to PUD. The property is more particularly described by the legal description attached hereto as **Exhibit "1"** (the "Property"). As described below, the PUD zoning district is being sought to provide a phased mixed-use development with retail commercial and multi-family residential uses, to be developed in a manner that is internally consistent, compatible with external uses, and provides for innovative site planning concepts that will create an aesthetically pleasing environment. The PUD will be developed in accordance with this PUD Written Description and the PUD Site Plan attached hereto as **Exhibit "E."** 

The PUD also shall be developed consistently with the Community/General Commercial (CGC) land use category. The Property is within the Urban Area of the Future Land Use Element of the 2030 Comprehensive Plan. Development of multifamily residential uses on the Property shall not exceed forty (40) units per acre, cumulatively within the CGC land use category throughout the PUD. (That is, residential density within the CGC land use category may be calculated cumulatively within that same land use category throughout the PUD.)

Development of the Property shall be phased, as shown on the PUD Site Plan. Phase 1 will consist of up to four hundred (400) multifamily residential units on approximately 19.39 acres. Phase 2 will consist of retail commercial uses and/or up to four hundred (400) multifamily residential units on approximately 12.18 acres.

# III. SITE SPECIFICS

Surrounding land use designations, zoning districts, and existing uses are as follows:

	<u>Land Use</u>	Zoning	<u>Use</u>
South	BP	IBP	Retention facility
East	PBF	PBF-1	State university

North	CGC	PUD	Top Golf facility
West	MU	PUD	Multi-family residential, retail commercial (St. Johns Town Center DRI)

# IV. PUD DEVELOPMENT CRITERIA

# A. <u>Development Densities/Intensities</u>

The PUD proposes the following permitted densities/intensities:

Commercial retail square footage: Up to 150,000 square feet.

Multifamily residential units: Up to 800 units.

#### **B.** Phase 1 Site Development Standards

#### 1. *Permitted Uses and Structures*:

- a. Up to four hundred (400) multi-family residential dwelling units and related amenities including but not limited to walking path(s), jogging trails, pool(s), cabana/clubhouse, health/exercise facility, business/conference center, sales/leasing office, recreation areas, and similar uses.
- b. Home occupations meeting the performance standards and development criteria set forth in Part 4 of the Zoning Code.
- c. Temporary construction trailers and offices, and sales/leasing offices.
- d. Essential services including roads, water, sewer, gas, telephone, stormwater management facilities, radio, television, electric and cellular communication towers subject to performance standards in Section IV.G.3 below.
- e. Cellular telephone towers and radio towers meeting the performance standards and development criteria set forth in Section IV.G.2 below.
- f. Parks, playgrounds, recreational and community areas and structures, multi-use paths, trails, lakefront promenade, public art, and similar uses.
- g. Amenity/recreation centers, which may include pools, cabanas/clubhouses, health/exercise facilities, and similar uses.

JAX\2093053\_1 -2-

- h. Bona fide commercial agricultural uses may continue until buildout.
- 2. Permitted accessory uses and structures. Accessory uses and structures are allowed as permitted in Section 656.403 of the Zoning Code; provided, however, that the yard and setback restrictions of Section 656.403(a) do not apply to such uses and structures. In addition, accessory uses and structures may be located within any required buffer. Permitted accessory uses and structures to include fences, berms, dog parks, dog washes, trash enclosures, entry gates, walking paths and jogging trails.
- 3. *Minimum lot requirements (width and area):* 
  - a. None.
- 4. *Maximum lot coverage by all buildings and structures:* 
  - a. Fifty percent (50%).
- 5. *Minimum yard requirements:* 
  - a. Front Twenty (20) feet.
  - b. Rear Twenty (20) feet.
  - c. Side Twenty (20) feet.

Encroachments by sidewalks, driveways, parking, signage, utility structures, trash compactors, garbage receptacles, retention ponds, fences, street/park furniture, HVAC units, and other similar improvements shall be permitted within the minimum building setbacks.

6. *Maximum height of structures:* Sixty-five (65) feet, except that significant entrance or architectural features, spires, belfries, cupolas, antennas, water tanks, ventilators, chimneys, mechanical equipment or other appurtenances placed above the roof level and not intended for human occupancy may exceed that height.

# C. Phase 2 Site Development Standards

- 1. *Permitted Uses and Structures*:
  - a. Retail outlets for the sale of food and drugs including grocery stores, apparel, toys, sundries and notions, books and stationary, leather goods and luggage, jewelry, art, cameras or photographic supplies including camera repair, sporting goods, hobby shops and pet shops, musical instruments, florists, delicatessens, bakeries, restaurants, home furnishings and appliances including repairs

incidental to sales, <u>flooring and floor coverings</u>, office equipment or furniture, hardware, antiques, and all other similar retail uses. These uses include drive-through and drive-in facilities and other similar uses.

- b. Personal service establishments such as barber and beauty shops, shoe repair, interior decorators, health clubs and gymnasiums, laundries and dry cleaners, tailors, dry cleaning pickup, travel agencies, and similar uses.
- c. Libraries, museums, and community centers.
- d. Establishments which include the retail sale and service of all alcoholic beverages, including liquor, beer or wine for on-premises consumption or off premises consumption or both.
- e. Bottle clubs or establishments which include the retail sale and service of all alcoholic beverages, including liquor, beer or wine, for on-premises consumption or off premises consumption or both.
- f. Studios where art, pottery, or crafts are made with a bottle club or the retail sale and service of all alcoholic beverages, including liquor, beer or wine, for on-premises.
- g. Establishments or facilities in which beer, wine, or other alcoholic beverages are produced for on-site consumption where production does not exceed 10,000 barrels (310,000 gallons) per year and offsite sales to a state licensed wholesaler do not exceed 75% of production; provided, however, that this sub-section shall not limit the production of beer, wine or other alcoholic beverages for exclusively on-site consumption in conjunction with an otherwise permissible restaurant or retail sales and service establishment.
- h. Breweries, taprooms, wineries, wine clubs, tasting rooms, and similar uses.
- i. Restaurants with on premises consumption of beer, wine and alcohol.
- j. Restaurants with the outside sale and service of food on adjoining patio area.
- k. Outside sale and service of alcoholic beverages, subject to the criteria set forth in Section IV.G.5 below.
- l. The retail sale and on-premises consumption of alcoholic beverages, including liquor, beer and wine, permitted under Sub-

JAX\2093053\_1 -4-

sections d, e, f, g, h, i, k, and cc herein are exempt from the distance limitations set forth in Part 8 of the Zoning Code from applicable uses within this PUD.

- m. Retail and restaurant kiosks (static or mobile kiosks).
- n. Public buildings and facilities except for public maintenance facilities and storage yards.
- o. Banks, savings and loans, and other financial institutions and similar uses, including drive-through and drive-up facilities.
- p. Commercial recreational or entertainment facilities such as bowling alleys, swimming pools, skating rinks, indoor cart racing, cinemas and theaters.
- q. Express or parcel delivery offices, but not trucking distribution centers.
- r. Hotels and motels.
- s. Up to four hundred (400) multi-family residential dwelling units and related amenities including but not limited to walking path(s), jogging trails, pool(s), cabana/clubhouse, health/exercise facility, business/conference center, sales/leasing office, recreation areas, and similar uses.
- t. Off-street parking lots, meeting the performance standards and development criteria set forth in Section IV.G.4 and 6 below, which may include outdoor sales, entertainment, and public displays.
- u. Parking decks and parking garages as long as screened by building from Phase 1.
- v. Hospitals, medical clinic (outpatient), and similar facilities.
- w. Rehabilitation hospitals, including inpatient, outpatient, and skilled nursing programs and services.
- x. Nursing homes, homes for the aged, housing for the elderly, community residential homes for the elderly, group care homes for the elderly and similar uses.
- y. Independent living, assisted living, and memory care housing for the elderly.
- z. Skilled nursing facilities.

- aa. Medical, dental and chiropractic offices and clinics.
- bb. Business and professional offices.
- cc. Meeting facilities and conference centers for business meetings, social gatherings (holiday events, parties, reunions, weddings, and similar events), including the associated service of food and alcohol and the outside sale and service of alcohol meeting the performance standards and development criteria set forth in Section IV.G.5 below.
- dd. Facilities for the production of eyeglasses, hearing aids, dentures, prosthetic appliances and similar products in conjunction with a professional service being rendered at the time.
- ee. Buildings and uses immediately and exclusively accessory to the uses permitted above, including automobile parking or valet facilities, living quarters for custodians or caretakers of the office buildings, and storage of documents and equipment.
- ff. Child and adult day care centers meeting the performance standards in Section IV.G.1 below.
- gg. Churches including a rectory, nursery and day school. These uses will not be entitled to the minimum distance limitations of Chapter 656, Part 8.
- hh. Temporary construction trailers and offices.
- ii. As part of a quality grocer or other general retailer, outside retail sales of holiday items, subject to the performance standards and development criteria set forth in Section IV.G.6 below.
- jj. Essential services including roads, water, sewer, gas, telephone, stormwater management facilities, radio, television, electric and cellular communication towers subject to performance standards in Section IV.G.3 below.
- kk. Cellular telephone towers and radio towers meeting the performance standards and development criteria set forth in Section IV.G.2 below.
- ll. Parks, playgrounds, recreational and community areas and structures, multi-use paths, trails, lakefront promenade, public art, and similar uses.
- mm. Amenity/recreation centers, which may include pools, cabanas/clubhouses, health/exercise facilities, and similar uses.

- nn. Any uses permitted herein may be integrated vertically within a structure, specifically including but not limited to the vertical integration of residential and retail uses.
- 2. *Minimum lot requirements (width and area):* 
  - a. None.
- 3. *Maximum lot coverage by all buildings and structures:* 
  - a. Commercial uses none.
  - b. Multifamily uses fifty percent (50%).
- 4. *Minimum yard requirements (Commercial):* 
  - a. Front None.
  - b. Rear None.
  - c. Side None.
  - d. Setback from Phase 1: Buildings will be set back a minimum of forty (40) feet from the common boundary with Phase 1.
- 5. *Minimum yard requirements (Multifamily):* 
  - a. Front Twenty (20) feet.
  - b. Rear Twenty (20) feet.
  - c. Side Twenty (20) feet.
  - d. Setback from Phase 1: Buildings will be set back a minimum of forty (40) feet from the common boundary with Phase 1.

Encroachments by sidewalks, driveways, parking, signage, utility structures, trash compactors, garbage receptacles, retention ponds, fences, street/park furniture, HVAC units, and other similar improvements shall be permitted within the minimum building setbacks.

6. *Maximum height of structures:* 

Sixty-five (65) feet, except that significant entrance or architectural features, spires, belfries, cupolas, antennas, water tanks, ventilators, chimneys, or other appurtenances placed above the roof level and not intended for human occupancy may exceed that height.

# D. <u>Silviculture.</u>

Silviculture uses may continue as a permitted use on all or any portion of the Property until build-out.

# E. Land Clearing.

Land clearing and processing of land clearing debris shall be permitted on all or any portion of the Property; provided, however, land clearing debris may be processed only in conformity with applicable fire codes and other applicable chapters of the Ordinance Code.

# F. Accessory Uses and Structures

Accessory uses and structures are permitted if those uses and structures are of the nature customarily incidental and clearly subordinate to a permitted principal use or structure and these uses and structures are located on the same lot (or contiguous lot in the same ownership) as the principal use. Whether attached or detached to a building or structure containing the principal use, the accessory structure shall be considered as a part of the principal building. Accessory uses and structures related to a residential use may include but not limited to noncommercial greenhouses and plant nurseries, private garages or carports, storage areas, children's play areas and play equipment, private barbecue pits and swimming pools, facilities for security guards and caretakers and similar uses or structures which are of a nature not likely to attract visitors in larger number than would normally be expected with a residential use.

# **G.** Additional Performance Standards

Additional performance standards for those uses identified shall be as follows:

- 1. Child or adult day care centers shall be allowed subject to the following conditions:
  - a. All centers shall provide an adequate off-street area for the stacking of vehicles and required parking.
  - b. Child day care centers shall provide a fenced outdoor play area which meets the minimum requirements set forth by the state licensing agency and which shall be located in the rear or side yards of the subject property.
- 2. Communication towers shall be permitted subject to the requirements relating to the location of such towers pursuant to Part 15 of the City of Jacksonville Zoning Code.
- 3. Essential services (utility systems) shall be allowed as a permitted use subject to the following conditions:
  - a. Central water systems, sewerage systems, utility lines, and easements shall be provided in accordance with the appropriate

JAX\2093053\_1 -8-

sections of the Jacksonville Municipal Code.

- 4. Off-street parking lots shall be allowed subject to the following condition:
  - a. If the facilities are lighted, lighting shall be designed and installed so as to prevent glare or excessive light on any adjacent residential properties, subject to the review and approval of the Planning and Development Department.
- 5. Outside sale and service of alcoholic beverages in conjunction with a restaurant shall be allowed subject to the following conditions:
  - a. The area for outside sale and service shall be limited to an area which is contiguous to an existing licensed facility or establishment and which shall be no greater 25% of the inside area for sale and service. The outside area also shall be surrounded by a permanent railing or other barrier at least three and half feet high; provided that the barrier may be broken up by multiple entranceways no more than six feet wide each.
- 6. Outside retail sale of holiday items shall be allowed subject to the following conditions:
  - a. Outside retail sales shall be limited to forty-five (45) days prior to and thirty (30) days following the holiday.
  - b. There shall be adequate parking sufficient to accommodate the additional retail sales.
  - c. There shall be adequate access to the site such that the temporary outside retail sales will not result in undue traffic congestion.
- 7. Private clubs, conference centers, and meeting facilities shall be allowed subject to the following condition:
  - a. Any food and beverage, including alcoholic beverages, shall be limited to service incidental to the primary activity of the facility.

# V. OVERALL DEVELOPMENT STANDARDS AND CRITERIA

# A. Access

Access will be provided via Brightman Boulevard and the Access Road as shown on Exhibit "E." For individual "lots" or parcels of land within the PUD which may be owned in fee simple, there shall be no required street frontage or access for building permits. The Access Road as shown on the PUD Site Plan and other interior access roads will be privately owned and maintained by the owner and/or an owners' association and/or a management company and may be gated at entrances to multifamily residential uses. The location and design of all access points

JAX\2093053\_1 -9-

and interior access roads is conceptual and the final location and design of all access points and interior access roads is subject to the review and approval of the City Planning and Development Department. A sidewalk will be provided along one side of the Access Road, from Parcel 1 to Brightman Boulevard. In addition, pedestrian and bicycle connectivity between Parcel 1 and the St. Johns Town Center mall will be permitted (but not required) by means of an asphalt or concrete pedestrian trail at least six (6) feet in width. The path may be gated.

# **B.** Recreation/Open Space

For multifamily residential uses within the PUD, active recreation/amenities shall be provided at a ratio of a minimum of 150 square feet of recreational and open space per residential unit. These active recreation/amenities may include parks, open space, pedestrian walks and paths, and recreational uses located within the PUD as well as any amenity/recreation center, pool, cabana/clubhouse, health/exercise facility, and similar uses which may be provided within a multifamily use.

# C. <u>Landscaping/Landscaped Buffers</u>

Landscaping and tree protection shall be provided in accordance with the City of Ordinance Code, with the following additional and superseding provisions specifically noted to address the integrated mixed use/urban design qualities of the PUD. Landscaping standards shall be applied taking into consideration all proposed uses and the entire PUD site. For individual uses, which may own their sites in fee simple, required landscaping may be provided "off-site" within the PUD and may be shared with other uses, so long as the PUD in its entirety provides sufficient landscaping for all proposed uses. Landscape standards shall be applied within the PUD without regard to property ownership boundaries, which may exist among individual uses.

### 1. Buffers

- a. The City's Ordinance Code requires buffers for "uncomplimentary land uses and zones" in Section 656.1216. Due to the integrated nature of this project, all internal uses within the PUD are considered compatible with each other and no buffers between such internal uses are required.
- b. Along the boundary between Phase 1 and Phase 2, a fence a minimum of six (6) feet in height shall be installed on the common property line at the time of Phase 1 development. The fence may be wood, wood composite, masonry, or vinyl. A buffer strip ten (10) feet in width with ground cover and a shade tree every twenty-five (25) feet will be installed on the Phase 2 side of the fence as Phase 2 development occurs.
- c. If Phase 2 is developed for multifamily residential uses, along the boundary between Phase 2 and the development to the north, a fence a minimum of six (6) feet in height shall be installed on the common property line. The fence may be wood, wood composite,

JAX\2093053\_1 -10-

masonry, or vinyl. A buffer strip ten (10) feet in width with ground cover and a shade tree every twenty-five (25) feet will be installed on the Phase 2 side of the fence as development occurs.

# 2. Perimeter Landscaping: Driveways to Streets

The maximum width of any driveway not containing a landscaped island through the perimeter landscape area shall be twenty-four (24) feet, measured one-hundred (100) feet off of the right of way (to allow for return radii to meet the needs of the travelling public).

# 3. Perimeter Vehicle Use Area Buffer

A ten (10) foot buffer shall be provided between public rights-of-way and vehicle use areas. Parking along the perimeter vehicle use area buffer may be reduced in depth from eighteen (18) feet to sixteen (16) feet provided that the additional two (2) feet of parking depth be added to the width of the landscape buffer.

# D. Signage

The purpose of these sign standards is to establish a coordinated signage program that provides for the project and tenants' identification and for directional communication in a distinctive and aesthetically pleasing manner. The sign standards apply project-wide. A coordinated system of identification, directional, and vehicular control signage will be provided for all common areas and road right-of-way. The PUD identity, multiple uses, owners, and/or tenants may be identified on signs within the PUD without regard to property ownership boundaries that may exist among the individual uses, owners, and/or tenants and without regard to lot location or frontage. All project identity and directional signs shall be architecturally compatible with the project or buildings represented. Signs may be internally or externally illuminated.

A summary table of the proposed sign standards is shown below.

#### Phase 1:

Three (3) project identity signs are permitted. At the terminus of Brightman Boulevard, a monument sign up to twenty (20) feet in height and one hundred (100) square feet in area is permitted. This sign will be shared with the Phase 2 development. At the entrance to the Phase 1 multifamily development, a monument sign up to twenty (20) feet in height and twenty-five (25) square feet in area is permitted. The sign may be two sided and externally or internally illuminated. Along the I-295 frontage of Phase 1, a monument sign up to twenty (20) feet in height and one hundred fifty (150) square feet in area (each side) is permitted. The sign may be two sided and externally or internally illuminated.

#### Phase 2:

In addition to shared signage at the terminus of Brightman Boulevard as described above, Phase 2 non-residential uses, owners, and tenants are permitted the following signage:

JAX\2093053\_1 -11-

One (1) identity elevated sign will be permitted at a location fronting Interstate 295 for the Phase 2 project and/or uses, owners, and tenants. The sign may be two sided and externally or internally illuminated. These signs shall be oriented to Interstate 295. Multiple uses/owners/tenants within one building or a series of buildings may be identified with one shared elevated sign. The elevated sign will not exceed twenty (20) feet in height and one hundred fifty (150) square feet (each side) in area.

A maximum of two (2) identity monument signs will be permitted at locations fronting the Access Road for the PUD project and/or uses, owners, and tenants within the PUD. These signs may be two sided and externally or internally illuminated. These signs shall be oriented to the Access Road. Multiple uses/owners/tenants within one building or a series of buildings may be identified with one shared elevated sign. These monument signs will not exceed twenty (20) feet in height and one hundred (100) square feet (each side) in area. These signs will be located not less than one hundred (100) feet apart.

Each peripheral parcel will be permitted one (1) project identity monument sign with two sides. These signs will be oriented to the Access Road on which the outparcel has frontage, identifying the building (tenant) as a whole and/or its predominant use. Multiple tenants within one building or a connected series of buildings on an outparcel may be identified with one shared monument sign.

Signage for outparcels with less than one and a half (1.5) acres may not exceed ten feet (10') in height and twenty-five (25) square feet in sign face area per side.

Signage for outparcels with one and a half (1.5) acres to five (5.0) acres may not exceed fifteen feet (15') in height and fifty (50) square feet in sign face area per side.

Signage for outparcels greater than five (5.0) acres may not exceed twenty feet (20') in height and seventy-five (75) square feet in sign face area per side.

No monument signs shall be located less than one hundred (100) feet apart.

In addition to shared signage at the terminus of Brightman Boulevard as described above, a Phase 2 multifamily residential use is permitted the following signage:

A multifamily residential use or development is permitted one project identity monument sign (one or two sides) fronting the Access Road. The signs may be externally or internally illuminated not exceeding twenty (20) feet in height. Sign face area is maximum twenty-five (25) square feet. No monument signs shall be located less than one hundred (100) feet apart.

For all Phase 2 uses:

Wall signs are permitted. For the purpose of wall signage, the anchor/tenant buildings shall be deemed as one single enclosed building such that wall signage facing the pedestrian and vehicular drives within the interior of the PUD are deemed as interior signs. Additionally, wall

JAX\2093053\_1 -12-

signage visible from a public right of way for each tenant within the anchor/tenant buildings will be permitted and will not exceed ten (10) percent of the square footage of the occupancy frontage or respective side of the building visible from a public right-of-way.

Awning signs are permitted. For the purpose of awning signage, the anchor/tenant buildings shall be deemed as one single enclosed building such that awning signage facing the pedestrian and vehicular drives within the interior of the PUD are deemed as interior signs. Additionally, awning signage visible from public rights of way for each tenant within the anchor/tenant buildings will be permitted and will not exceed ten (10) percent of the square footage of the occupancy frontage or respective sides of the building visible from public rights of way. Any square footage utilized for awning signs which is not perpendicular to the wall to which the awning is attached shall be subtracted from the allowable square footage that can be utilized for wall signs.

Under canopy signs are permitted. One (1) under the canopy sign per occupancy is permitted not exceeding a maximum of eight (8) square feet in area per side. Any square footage utilized for under canopy signs shall be subtracted from the allowable square footage that can be utilized for wall signs.

# For Phases 1 and 2:

Directional signs indicating major buildings, major tenants, common areas, various building entries, will be permitted. The design of these signs should reflect the character of the building and project identity signs and may include the project and/or tenant logo and name. For predominately vehicle directional signage, such signs shall be a maximum of thirty (30) square feet in area per sign face. For pedestrian directional signage, such as "informational side walk kiosks", 1, 2, 3 or 4 sided (or cylindrical), such signs shall also be a maximum of twenty (20) square feet per side. All Vehicular Control Signs shall meet the requirements of the Manual on Uniform Traffic Control Devices with decorative post(s) and finials.

Changing message devices are permitted subject to the provisions of Section 656.1302, Ordinance Code, as it may be amended.

Because all project identity and directional signs are architectural features intended to be compatible with and complimentary of the buildings in the PUD, they will be located in structures or frames that are part of the architecture of the project. Accordingly, sign area for all such signs as well as wall, awning, and under the canopy signs, shall be computed on the basis of the smallest regular geometric shape encompassing the outermost individual letters, words, or numbers on the sign.

Temporary banner signs will be permitted not to exceed 50 square feet in area. Banner signs will be permitted in the entrances and interior of the PUD, but will not be permitted in peripheral parcels. Seasonal festive banners may be displayed for a maximum of fourteen (14) days without a permit except that such banners may be displayed forty-five (45) days prior to and thirty (30) days following the holiday. Other banners (including but not limited to "Now Opening," "Now Leasing," or "Hiring Soon" banners) up to 150 square feet may be displayed

JAX\2093053\_1 -13-

for a maximum of ninety (90) days without a permit. The banners shall be allowed to display logos and/or the name of the project and/or owner. Festival banners placed on street light poles are permitted and unregulated. Banner signs do not count toward the overall maximum sign face allowable for monument and pylon signs.

**Sign Guidelines** 

	General Location	Quantity	Max Area Per Side (sq ft)	Max Height (ft)	Min Dist Btwn Signs (ft)
Sign Type					
Phase 1 and 2: Project Identity Monument	At terminus of Brightman Blvd.	1	100	20	
Phase 1: Project Identity Monument	At entrance to MFR development	1	25	20	
Phase 1: Project Identity Monument	On I-295 frontage	1	150	20	
Phase 2 Project Identity Elevated Sign on I-295	On I-295	1	150	20	
Phase 2 Identity Monument Signs	On Access Road	Up to 2	100	20	100
Phase 2 Peripheral Parcel Identity Monument	Parcels less than 1.5 acres on Access Road	1 Per Parcel	25	10	100
Phase 2 Peripheral Parcel Identity Monument	Parcels 1.5 acres to 5 acres on Access Road	1 Per Parcel	50	15	100
Phase 2 Peripheral Parcel Identity Monument	Parcels Exceeding 5 acres on Access Road	1 Per Parcel	75	20	100
Phase 2 Multifamily Residential Monument Sign	On Access Road	1	25	20	100
Phase 2 Wall Signs	Project Wide		10% of sq ft of occupancy frontage		cupancy
Phase 2 Awning Signs	Project Wide		10% of sq ft of occupancy frontage		cupancy
Phase 2 Under Canopy Signs	Project Wide		8		
Directional Signs	Project Wide		30		
Information Kiosks	Project Wide		20		
Temporary Banners	Project Wide with 14 Day Limit		50		

JAX\2093053\_1 -14-

	(45 Days Prior to Christmas)				
Temporary Banners	Project Wide with 90 Day Limit		150		
Festival Banners	Project Wide on Light Poles	N/A			

# E. <u>Construction offices/model units/real estate sales.</u>

On-site, temporary construction offices/model units/sales and leasing offices will be permitted. Real estate activities are permitted within model units. Associated parking for real estate activities is permitted adjacent to model units.

# F. Phase 1 Parking and Loading Requirements

Parking will be provided at a rate of 1.35 spaces per dwelling unit. Compact spaces are permitted. Specified loading spaces will not be provided, however, there will be sufficient drive aisle width and vehicular use area to allow the loading and unloading of vehicles in close proximity to each building. The location of Phase 1 at the end of a private access road will ensure that the temporary use of drive aisles for loading and unloading will not interfere with safe and efficient traffic operations. The parking areas shall be exempt from the requirements of the Parking Lot Landscape Matrix set forth in Section 656.607(l) and Figure B.

The PUD may provide for more parking than is required, should the owner or developer deem it necessary and appropriate.

# **G.** Phase 2 Parking and Loading Requirements

Off street parking will be provided in accordance with the following additional and superseding provisions (no parking to be allowed as part of the access road at any time):

1. Parking shall be provided in garages, driveways, or common parking in accordance with the following standards:

a. Retail/Commercial and Restaurants: 4.0 spaces per 1,000 s.f. GLA

b. Office: 3.0 spaces per 1,000 s.f. GLA

c. Movie Theater 1.0 space per 6.0 seats

d. Hotel: 1.0 space per room

e. Senior Housing 1.0 space per 2 units/beds

f. Multifamily Residential: 1.35 spaces per dwelling unit

JAX\2093053\_1 -15-

- 2. For multifamily, specified loading spaces will not be provided, however, there will be sufficient drive aisle width and vehicular use area to allow the loading and unloading of vehicles in close proximity to each building.
- For a retail outlet for the sale of flooring and floor coverings, in the verification of substantial compliance process pursuant to Section 656.341(g), Zoning Code, upon submittal to the Planning and Development Department of additional information regarding parking needs, the parking requirements for such a use may be reduced to not less than 2.0 spaces per 1,000 s.f. GLA.
- 4. Shared parking can be used to satisfy required parking.
  - a. When two or more uses occupy the same building and when the hours of operation do not overlap, the parking for the use that needs the most parking shall suffice for all uses.
  - b. Shared parking must be provided within 400 feet of the business(es) being served.
- 5. Valet parking can be used to satisfy parking requirements.
- 6. In the verification of substantial compliance process pursuant to Section 656.341(g), Zoning Code, upon submittal to the Planning and Development Department of a study of proposed parking for a mix of identified uses, the total parking requirements for such uses may be reduced to not less than eighty (80) percent of the sum of the amount required for each separate identified use.
- 7. The PUD may provide for more parking than is required, should the owner or developer deem it necessary and appropriate.

# H. Lighting

To minimize the effects of site lighting on the adjacent residential properties, directional site lighting fixtures will be utilized along the Phase 2 property boundaries to cast light downward onto the Phase 2 site.

# I. Stormwater Retention

Stormwater facilities will be constructed to serve the PUD in accordance with applicable regulations. In addition, the existing City of Jacksonville drainage easement and stormwater facility on the Property will be reconfigured, relocated and enlarged concurrently with the PUD approval process.

#### J. Utilities

The Property is served by JEA.

# K. Conceptual Site Plan

The configuration of the development as depicted in the Site Plan is conceptual and revisions to the Site Plan, including the internal circulation, may be required as the proposed development proceeds through final engineering and site plan review, subject to the review and approval of the Planning and Development Department. The building locations and roadways shown on the Site Plan are schematic and may change prior to development subject to the review and approval of the Planning and Development Department.

# L. <u>Minor Modification for Phase 2 Development</u>

Prior to the commencement of development of Phase 2, a minor modification shall be submitted to incorporate a site plan for the proposed Phase 2 development that complies with the requirements of Section 656.341(c)(2)(i).

# M. Phasing.

Upon approval of the construction plans for the infrastructure improvements within the PUD, building permits for the construction of buildings within the PUD may be obtained prior to the recordation of the plat(s), if any.

# N. <u>Modifications</u>

Amendment to this approved PUD district may be accomplished through either an administrative modification, minor modification, or by filing an application for rezoning.

# O. <u>Justification for the PUD Rezoning</u>

The PUD proposes the concept of a carefully planned mixed-use development scaled for and complimentary to the pedestrian. Many best development and planning practices have been incorporated into the PUD including:

- A mix of land uses;
- Internal and external vehicular connectivity;
- Pedestrian- and bicycle-oriented environment;
- Creation of employment opportunities; and
- The inclusion of performance standards for the project that will establish the unique quality, identity and character of the PUD.

# P. PUD/Difference from Usual Application of Zoning Code

The PUD differs from the usual application of the Zoning Code in the following respects: it binds the Applicant and successors to the PUD Written Description and PUD Conceptual Site Plan; it provides for site-specific design standards and criteria; and it permits a unique and creative approach to the planning and development of the Property. Such a unique and integrated community plan requires the use of the PUD ordinance in order to administer the

JAX\2093053\_1 -17-

standards that have been designed to ensure proper implementation of the community's intended design. The design and layout of the PUD is creative in its planning approach as described above, more desirable than would be possible through strict application of the minimum requirements of the Land Development Code, and more efficient.

# Q. Permissible Uses by Exception

There are no permissible uses by exception.

# **R.** Names of Development Team

Developer/Owner: Hanover R.S. Limited Partnership; Arthur Chester Skinner, Jr. Trust, et al.

Planner/Engineer: ETM, Inc.

# S. Land Use Table

A Land Use Table is attached hereto as **Exhibit "F."** 

# VI. PUD REVIEW CRITERIA

- **A.** <u>Consistency with the Comprehensive Plan</u>: As described above, the uses proposed herein are consistent with the CGC Urban Area land use category.
- **B.** <u>Consistency with the Concurrency Management System</u>: The PUD will comply with the Concurrency Management System and the TMA Development Agreement applicable to the PUD site.
- C. <u>Allocation of Residential Land Use:</u> The PUD is consistent with land use allocations under the Future Land Use Element of the 2030 Comprehensive Plan.
- **D.** <u>Internal Compatibility:</u> The PUD provides for integrated design and compatible uses within the PUD.
- **E.** <u>External Compatibility/Intensity of Development:</u> The PUD proposes uses and provides design mechanisms compatible with surrounding uses.
- **F.** <u>Maintenance of Common Areas and Infrastructure:</u> All common areas will be maintained by an owners' association.
- **G.** <u>Usable Open spaces, Plazas, Recreation Areas:</u> The PUD provides ample open spaces and recreational opportunities.
- **H.** <u>Impact on Wetlands:</u> Any development impacting wetlands will be permitted pursuant to local, state, and federal permitting requirements.
  - I. Listed Species Regulations: Not required.

JAX\2093053\_1 -18-

- J. Off-Street Parking Including Loading and Unloading Areas: The PUD provides ample off street parking.
- **K.** <u>Sidewalks, Trails, and Bikeways:</u> The PUD provides pedestrian and bicycle connectivity to Brightman Boulevard.