HOLD HARMLESS COVENANT

This Hold Harmless Covenant is hereby granted by AMH DEVELOPMENT, LLC, whose address Hills, CA (Grantor) in favor of the CITY OF J.	ss is 30601 Agoura Road, Suite 200L, Agoura ACKSONVILLE, a Municipal Corporation,
whose mailing address is 117 Duval Street West, J IN CONSIDERATION for the closure and ORDINANCE, a copy of which is a being located in Council District 4 and established of the Public Records of Duval County, Florida.	abandonment of certain rights-of way by attached hereto and incorporated by reference,
AMH DEVELOPMENT, LLC, Applicant, it indemnifies, and will defend CITY OF JACKS employees, and agents against any claim, action expense of whatever kind or nature (including, but court costs) arising out of injury (whether mental damage to property, arising out of or incidental to areas, more particularly described in Composite not limited to such injuries or damages resulting frecoverant shall run with the real property describe property owner(s) who acquire the Property as a reformaintaining the Property.	ONVILLE, its members, officials, officers, on, loss, damage, injury, liability, cost and at not by way of limitation, attorney fees and or corporeal) to persons, including death, or the use of the abandoned right-of-way s Exhibit "A," attached hereto, including, but om flooding or erosion. This Hold Harmless ed in Composite Exhibit "A." The adjacent
Signed and Sealed in Our Presence:	GRANTOR: AMH DEVELOPMENT, LLC
(Sign)	(Sign)
(Print)	By: As Managing Member (Print)
(Sign)	
(Print)	
STATE OF FLORIDA COUNTY OF DUVAL	
The foregoing was acknowledged before me this _by, on behalf of is personally known to me or produced	day of, 2019 Such person as identification.
	NOTARY PUBLIC State of Florida

MAP SHOWING SKETCH & DESCRIPTION OF ROAD VACATION TO A PORTION OF TRACT "E" AS SHOWN ON THE MAP OF JOHN B WEBELHOER'S SUBDIVISION OF PART OF THE FRANCIS RICHARD GRANT, SECTION 52, TOWNSHIP 2 SQU'TH, RANGE 27 EAST, AS RECORDED IN PLAT BOOK 7, PAGE 10 OF THE CURRENT PUBLIC RECORDS OF DUVAL COUNTY, FLORIDA, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS: FOR A POINT OF REFERENCE, COMMENCE AT THE SOUTHEAST CORNER OF TRACT "B", AS SHOWN ON THE PLAT OF SOUTHERDE DAKS REPLAT, RECORDED IN PLAT BOOK 69, PACES 110-112, OF THE CURRENT PUBLIC RECORDS OF DUVAL COUNTY, FLORIDA, SAID CORNER LYING ON THE INTERSECTION OF THE NORTHWESTERLY RIGHT-OF-WAY LINE OF HIGHFIELD AVENUE (A 60" RIGHT-OF-WAY, AS NOW ESTABLICHED) AND WESTERLY LINE OF A 55 FOOT FLORIDA DEPARTMENT OF TRANSPORTATION DRAINAGE RIGHT-OF-WAY, AS NOW ESTABLICHED) AND WESTERLY LINE OF A 55 FOOT FLORIDA DEPARTMENT OF TRANSPORTATION DRAINAGE RIGHT-OF-WAY AS RECCROED IN OFFICIAL RECORDS VOLUME 2564, PACE 192 AND OFFICIAL RECORDS VOLUME 3151, PAGE 491, SAID FUELIC RECORDS OF SAID COUNTY, THENCE NORTH BEGIST'AS" EAST, A LONG SAID NORTHWESTERLY RIGHT-OF-WAY LINE AND ITS EASTERLY PROLONGATION. A DISTANCE OF 17.76 FEET, THENCE SOUTH BEGISTANCE OF SOUTH BEZITATE? AND ARKING A RADIUS OF CP 25.00 FEET, THENCE SOUTHEASTERLY ALONG AND ARKOUND THE ARC OF SAID CURVE AN ARC DISTANCE OF 13.75 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH BEZITATE? EAST, A SOUTH BEZITATE OF THE POINT OF BEGINNING; THENCE CONTINUING ALONG A REPLAY OF A CHORD BEARING AND DISTANCE OF NORTH 78/39'09" EAST, 2.92 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE WESTERLY AND HAVING A RADIUS OF 15.00 FEET, THENCE SOUTHBEAT ALONG AND AROUND THE ARC OF SAID CURVE AND ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 78/39'09" EAST, 2.92 FEET TO THE POINT OF REVERSE CURVATURE OF A CURVE CONCAVE WESTERLY AND HAVING A RADIUS OF 15.00 FEET, THENCE NORTH SAID SOUTHBEAT ALONG AND AROUND THE ARC OF SAID CURVE AN ARC DISTANCE OF SAID CURV CONTAINING: 723 SQUARE FEET AND/OR 0.02± ACRES, MORE OR LESS GFROAL RECORDS VOLUME 2664, PAGE 192 Exhibit A TRACT "B" SOUTHSIDE OAKS REPLAT PLAT BOOK 69. PAGES 110-112 POINT OF COMMENCEMENT SE CORNER OF TRACT "B" PLAT BOOK 69, PAGES 110-112 HYLY R/W LINE POINT OF BEGINNING HIGHFIELD AVENUE (60' R/H) CURVE TABLE BEARING CHORD RACHUS 582"14"12"E 13.58" 031'31'23 N78'39'09"E 2.92' LINE TABLE 079"27"24" 564'58'08"E 57.52" 45.00 62.41 LINE 9 N75'27'14"W 5.70 110.00 502*58'07 N77"56"18" W 31 93 25.13 0571351361 N49'08'30'W 24.09' SURVEYORS FLORIDA, OF AMERICAN ALL COSB - LICENSED LAND BUSINESS NO. 3857 TE 15 - LACKSONVILLE, FLORIDA, 32257 LAND SURVEYORS - 3751 SAN JOSE PLACE THIS IS TO CERTIFY THAT THE ABOVE SKETCH & DESCRIPTION WAS PREPARED UNDERS BY RESPONDED SUPERISHED AND ORBECTION, THAT THERE ARE NO ENGRACHMENTS BY SHOWN AND THAT THE SKETCH & DESCRIPTION SHOWN MERSON MEETS THE MARKING TECHNICAL STANDARDS SET FORTH BY THE FLORICA BOARD OF PROFESSIONAL STANDARDS PURSUANT TO CHAPTER 472.027 / CHAPTER 513.7-6 FLORICA STATUTES. FILE - FORDE TIDOS RELATION LO - AR CONTROLL 3 SCHEMENCES 1 SCHEMENCE ALL AMERIC SUPVEY NOT VALID UNLESS EMBOSSED BY SEAL JAMES D. HARRISON, JR., No. 2847 MICHAEL A. GARRETT, No. 6843

DATE 06/22/2018

DR BY WEA

F.B. 14/A

FIE 84096

06/87/18

GROEN NO. 154718

FLORIDA REGISTERED SHAVEYOR AND MAPPE

DIR. P.\PLATS\SILVERCREEK

A PORTION OF TRACT "E" AS SHOWN ON THE MAP OF JOHN B DEBELHOER'S SUBDIMISION OF PART OF THE FRANCIS RICHARD GRANT, SECTION 52, TOWNSHIP 2 SOUTH, RANGE 27 EAST, AS RECORDED IN PLAT BOOK 7, PAGE 10 OF THE CURRENT PUBLIC RECORDS OF DUVAL COUNTY, FLORIDA, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS: FOR A POINT OF REFERENCE, COMMENCE AT THE SOUTHEAST CORNER OF TRACT "9", AS SHOWN ON THE FLAT OF SOUTHSIDE OAKS REPLAT, PEGORDED IN PLAT BOOK 69, PAGES 110-112, OF THE CURRENT PUBLIC RECORDS OF DUVAL COUNTY, FLORIDA, SAID CORNER LYING ON THE INTERSECTION OF THE NORTHWESTERLY RIGHT-OF-WAY LINE OF HIGH-LELD AVENUE (A 50 RIGHT-OF-WAY AS RECORDED IN OFFICIAL RECORDS VOLUME 2664, PAGE 192 AND OFFICIAL RECORDS VOLUME 3151, PAGE 491, SAID PUBLIC RECORDS OF SAID COUNTY, THENCE NORTH 86°31'43" EAST, ALONG SAID NORTHWESTERLY RIGHT-OF-WAY LINE AND ITS EASTERLY PROLONGATION, A DISTANCE OF 17.76 FEET; THENCE SOUTH 66°28'46" EAST, A DISTANCE OF 28:90 FEET TO THE FOINT OF CURVATURE OF A CURVE CONCAVE NORTHERLY AND HAVING A RADIUS OF 25:00 FEET; THENCE SOUTHEASTERLY ALONG AND AROUND THE ARC OF SAID CURVE A DISTANCE OF 16.88 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 85°35'10" EAST, 16.37 FEET TO THE FOINT OF REVERSE CURVATURE OF A CURVE CONCAVE BASIERLY AND HAVING A RADIUS OF 28.00 FEET; THENCE SOUTHEASTERLY AND AROUND THE ARC OF SAID CURVE A BLOWS AND AROUND THE ARC OF SAID CURVE AN ARC DISTANCE OF 16.06 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 30°48'45" EAST, 86.48 FEET TO THE POINT OF BECKNING, THENCE CONTINUING ALONG A ARC OF A CURVE CONCAVE EASTERLY AND HAVING A RADIUS OF 45.00 FEET, THENCE NORTHEASTERLY AND HAVING A RADIUS OF SAID CURVE AN ARC DISTANCE OF T2.91 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 85°29'01" WEST, 65.19 FEET TO THE POINT OF CURY OF A CURVE CONCAVE SOUTHEASTERLY AND HAVING A RADIUS OF 45.00 FEET, THENCE NORTHEASTERLY ALONG AND AROUND THE ARC OF SAID CURVE AN ARC DISTANCE OF T2.91 FEET, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SAID CURVE; THENCE NORTHEASTERLY ALONG AND AROUND THE ARC OF SAID CURVE AN ARC DISTANCE OF SOUTH ASTOCKED BY A CHORD BEARING AND DISTANCE OF SAID CURVE; THENCE SOUTH 77'56'18" EAST, A DISTANCE OF SAID CURVE TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHEASTERLY ALONG A AN ARC DISTANCE OF 8.50 FEET, FEET TO THE POINT OF BEGINNING. CONTAINING 1,023 SQUARE FEET AND/OR 0 021 ACRES, MORE OR LESS 4L PECOROS VOLUME 2664, PAGE R/W ICAL RECOROS VOLUME 2664, PAGE 192 SAGE 192 SAGE 192 T Exhibit A TRACT "B" SOUTHSIDE OAKS REPLAT PLAT BOOK 69, PAGES 110-112 OFFICIAL , POINT OF COMMENCEMENT SE CORNER OF TRACT "B" PLAT BOOK 69, PAGES 110-112 85°31°43°5 17'76° See 28 40 % NWLY ROW LINE HIGHFIELD AVENUE (50' R/W) - POINT OF BEGINNING CURVE TABLE RADIUS LENGTH S85'35 10"E 16 37" 25.80 \$30'48'48'E \$8.46 45.00 389*29'01"W 65 19' LINE TABLE N69'06'17"E INE # BEARING 25.00 573°52'49"E 8.49" 577'56'18"E 008"06"58" 8.50 SURVEYORS OF FLORIDA THE 18 - MICKSONVILLE, FLORICA, 32257 - 304/279-0088 - LICENSED LIHIT BUSINES LL AMERICAN LUND SURVEYORS - 3781 SAN VOSE PLACE FLORIDA. ALL THIS IS TO CERTEY THAT THE ABOVE SKETCH & DESCRIPTION WAS PREPARED LINGER MY RESPONSIBLE SUPERVISION AND DIRECTION, THAT THERE ARE NO ENGRANCHMENTS EXCEPT AS SHOWN AND THAT THE SKETCH & DESCRIPTION SHOWN HEREON MEETS THE WINNELM TECHNICAL STANDARDS SET FORTH BY THE FLORIDA BOARD OF PROFESSIONAL SUPERVISION AND MAPPERS PURSUANT TO CHAPTER 472 227 / CHAPTER 61G17-6. PLORICA STATUTES 5 CIT - DNS- FLOR ELECTOR 1/1 - art CONSTRUCTOR 1/2 - art CONSTRUCTOR 1/2 - art CONSTRUCTOR 1/3 - art CONSTRUCTOR 1/4 - art Constructo ALL SURVEY NOT VALID UMLESS EMBOSSED BY SEAL MAMES D. HARRISON, JR. No. 2847 MICHAEL A. GARRETT, No. 8643 00/22/18 SCALE ""="0"

DAR. F. PLATS SILVER CREEK

OR BY WEA

FB N/A

MAP SHOWING SKETCH & DESCRIPTION OF

FILE 84095

CREER NO 164716